

# hvlogos – Print T<sub>E</sub>X-related Logos

Herbert Voß\*

January 24, 2024

The package hvlogos loads by default the packages fetamont, hologo, dantelogo, and xspace.

<i>Macro</i>	<i>Alias</i>	<i>Output</i>	<i>sf-Output</i>
<code>\ALEPH</code>		⌘	
<code>\AmS</code>	<code>\AMS</code>	$\mathcal{AMS}$	$\mathcal{AMS}$
<code>\AmSLaTeX</code>		AMS-L <sup>A</sup> T <sub>E</sub> X	AMS-L <sup>A</sup> T <sub>E</sub> X
<code>\amsmath</code>		$\mathcal{AMS}$ math	$\mathcal{AMS}$ math
<code>\AmSTeX</code>		AMS-T <sub>E</sub> X	AMS-T <sub>E</sub> X
<code>\biber</code>		Biber	Biber
<code>\Biber</code>		Biber	Biber
<code>\BibLaTeX</code>	<code>\biblatex</code>	BibL <sup>A</sup> T <sub>E</sub> X	
<code>\BibTeX</code>		BiB <sub>T</sub> E <sub>X</sub>	
<code>\BibTeX8</code>	<code>\BibTeXacht</code>	BiB <sub>T</sub> E <sub>X</sub> 8	
<code>\BibTool</code>		BiB <sub>T</sub> OOl	
<code>\ConTeXt</code>	<code>\context</code>	ConT <sub>E</sub> Xt	
<code>\CTAN</code>		CTAN	
<code>\dante</code>		DANTE e.V.	
<code>\Dante</code>		DANTE, Deutschsprachige Anwendervereinigung T <sub>E</sub> X e.V.	
<code>\DANTE</code>		dante	
<code>\dtk</code>		Die T <sub>E</sub> Xnische Komödie	
<code>\DTK<sup>1</sup></code>		„Die T <sub>E</sub> Xnische Komödie“	
<code>\emTeX</code>		emT <sub>E</sub> X	
<code>\eTeX</code>		$\varepsilon$ -T <sub>E</sub> X	
<code>\ExTeX</code>		$\varepsilon$ <sub>X</sub> T <sub>E</sub> X	
<code>\eV</code>		e.V.	
<code>\HanTheThanh</code>	<code>\HTT</code>	Hàn Thế Thành	
<code>\iniTeX</code>		iniT <sub>E</sub> X	
<code>\KOMAScript</code>		KOMA-Script	
<code>\LaTeX</code>		L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X
<code>\LaTeXe</code>		L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>	L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub>

next page ...

\*Thanks to Karl Berry, Denis Bitouzé, Hans Nieuwenhuis, Heiko Oberdiek, Mark Senn

<sup>1</sup>Quotes depend on the current language setting.

... previous page

<i>Macro</i>	<i>Alias</i>	<i>Output</i>	<i>sf-Output</i>
<code>\LaTeXIII</code>		$\LaTeX$ 3	$\LaTeX$ 3
<code>\LaTeXTeX</code>		( $\LaTeX$ ) $\TeX$	( $\LaTeX$ ) $\TeX$
<code>\LaTeXML</code>		$\LaTeX$ ML	$\LaTeX$ ML
<code>\LMTX</code>	<code>\lmtx</code>	LMTX	
<code>\LuaHBTeX</code>	<code>\luahtex</code> , <code>\LuahbTeX</code>	LuaHB $\TeX$	LuaHB $\TeX$
<code>\LuaLaTeX</code>	<code>\lualatex</code>	Lua $\LaTeX$	Lua $\LaTeX$
<code>\LuaTeX</code>	<code>\luatex</code>	Lua $\TeX$	Lua $\TeX$
<code>\LuaMetaTeX</code>	<code>\luametateX</code>	LuaMETAT $\TeX$	LuaMETAT $\TeX$
<code>\LyX</code>		LyX	LyX
<code>\macOS</code>		macOS	
<code>\mpShort</code>		MP	
<code>\mfShort</code>		MF	
<code>\METAFONT</code>	<code>\MF</code>	METAFONT	
<code>\MetaFun</code>	<code>\MFun</code>	METAFUN	
<code>\METAPOST</code>	<code>\MetaPost</code> , <code>\MP</code>	METAPOST	
<code>\mkII</code>	<code>\mkii</code>	mkII	
<code>\mkIV</code>	<code>\mkiv</code>	mkIV	
<code>\MiKTeX</code>		MiK $\TeX$	
<code>\NTS</code>		$\mathcal{N}\mathcal{T}\mathcal{S}$	
<code>\OzMF</code>		OzMF	
<code>\OzMP</code>		OzMP	
<code>\OzTeX</code>		Oz $\TeX$	
<code>\OzTtH</code>		OzTtH	
<code>\PCTeX</code>		PCT $\TeX$	
<code>\pdfTeX</code>	<code>\pdftex</code>	pdf $\TeX$	
<code>\pdfLaTeX</code>	<code>\pdflatex</code>	pdf $\LaTeX$	
<code>\pgf/tikz</code>	<code>\pgftikz</code>	pgf/TikZ	
<code>\PiC</code>		PiC	
<code>\PiCTeX</code>		PiCT $\TeX$	
<code>\plainTeX</code>		plain $\TeX$	
<code>\PostScript</code>	<code>\PS</code>	PostScript	
<code>\PSTricks</code>	<code>\pstricks</code>	PSTricks	
<code>\PurdueThesis</code>	<code>\purduethesis</code>	PurdueThesis	
<code>\PuTh</code>	<code>\puth</code>	PuTh	
<code>\SageTeX</code>		Sage $\TeX$	
<code>\SLiTeX</code>		SLI $\TeX$	
<code>\teTeX</code>		te $\TeX$	
<code>\TeXivht</code>	<code>\tex4ht</code>	$\TeX$ 4ht	
<code>\TeXLive</code>		$\TeX$ Live	
<code>\TikZ</code>	<code>\tikzlogo</code>	TikZ	
<code>\TTH</code>		T <sub>T</sub> H	
<code>\TUG</code>		$\TeX$ Users Group	

next page ...

... previous page

<i>Macro</i>	<i>Alias</i>	<i>Output</i>	<i>sf-Output</i>
<code>\TUGboat</code>		<i>TUGboat</i>	
<code>\virTeX</code>		virTeX	
<code>\VTeX</code>		VTeX	
<code>\WikipediaA</code>	<code>\Wikipedia, \wikipedia</code>	WIKIPEDIA	
<code>\XeLaTeX</code>		X <sub>ε</sub> LaTeX	
<code>\XeTeX</code>		X <sub>ε</sub> TeX	
<code>\xypic</code>	<code>\XYpic</code>	X <sub>Y</sub> -pic	

## Experimental

The logos for L<sup>A</sup>T<sub>E</sub>X and (L)<sub>A</sub>T<sub>E</sub>X can be modified with the following commands:

```
\hvLaTeX[<kern between L and a>][<kern between La and TeX>]
\hvLaTeXTeX[<kern between ( and La>][<kern between L and a>][<kern a and >)][<kern
between ) and TeX>]
```

The two kernings for `\LaTeX` are predefined by  $-0.25em$  and  $-0.15em$  and the four for `\LaTeXTeX` by  $-0.1em$ ,  $-0.25em$ ,  $-0.15em$ , and  $-0.1em$ .

A modification make sense if you have a font where the default kerning doesn't really works well. For example with the font **Lobster Two**:

```
ℒTeX default kerning
ℒTeX new setting with \hvLaTeX[-0.1em][-0.07em]
ℒTeX default kerning
ℒTeX new setting with \hvLaTeXTeX[-0.1em][-0.1em][0em]
```

A missing optional argument will be set by its default. Remember that you have to use all preceding arguments if you want to change only the 2nd, 3rd or 4th.

## Index

### A

\ALEPH, 1  
\AMS, 1  
\AmS, 1  
\AmSLaTeX, 1  
\AmSTeX, 1  
\amsmath, 1

### B

\BibLaTeX, 1  
\BibTeX, 1  
\BibTeX8, 1  
\BibTeXacht, 1  
\BibTool, 1  
\biber, 1  
\Biber, 1  
\biblatex, 1

### C

\CTAN, 1  
\ConTeXt, 1  
\context, 1

### D

\DANTE, 1  
\DTK, 1  
\Dante, 1  
\dante, 1  
dantelogo – package, 1  
\dtk, 1

### E

\eTeX, 1  
\eV, 1  
\emTeX, 1  
\ExTeX, 1

### F

fetamont – package, 1

### H

\HTT, 1  
\HanTheThanh, 1  
hologo – package, 1  
\hvLaTeX, 3  
\hvLaTeXTeX, 3  
hvlogos – package, 1

### I

\iniTeX, 1

### K

\KOMAScript, 1

### L

\LMTX, 2  
\LaTeX, 1, 3  
\LaTeXIII, 2  
\LaTeXML, 2  
\LaTeXTeX, 2f  
\LaTeXe, 1  
\lmtx, 2  
\LuaHBTeX, 2  
\LuaLaTeX, 2  
\LuaMetaTeX, 2  
\LuaTeX, 2  
\LuahbTeX, 2  
\luahbtex, 2  
\lualatex, 2  
\luametateX, 2  
\luatex, 2  
\LyX, 2

### M

\METAFONT, 2  
\METAPOST, 2  
\MF, 2  
\MFun, 2  
\MP, 2  
\macOS, 2  
\MetaFun, 2  
\MetaPost, 2  
\mfShort, 2  
\MiKTeX, 2  
\mkII, 2  
\mkIV, 2  
\mkii, 2  
\mkiv, 2  
\mpShort, 2

### N

\NTS, 2

### O

\OzMF, 2  
\OzMP, 2

\OzTeX, 2  
\OzTtH, 2

xspace – package, 1  
\xypic, 3

## **P**

\PCTeX, 2  
\PS, 2  
\PSTricks, 2  
\pdfLaTeX, 2  
\pdfTeX, 2  
\pdfflatex, 2  
\pdftex, 2  
\pgf/tikz, 2  
\pgftikz, 2  
\PiC, 2  
\PiCTeX, 2  
\plainTeX, 2  
\PostScript, 2  
\pstricks, 2  
\PuTh, 2  
\PurdueThesis, 2  
\purduethesis, 2  
\puth, 2

## **S**

\SLiTeX, 2  
\SageTeX, 2

## **T**

\TTH, 2  
\TUG, 2  
\TUGboat, 3  
\teTeX, 2  
\TeXLive, 2  
\TeXivht, 2  
\tex4ht, 2  
\TikZ, 2  
\tikzlogo, 2

## **V**

\VTeX, 3  
\virTeX, 3

## **W**

\Wikipedia, 3  
\wikipedia, 3  
\Wikipedia, 3

## **X**

\XYpic, 3  
\XeLaTeX, 3  
\XeTeX, 3